

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
AddA: Avonburg-----	85	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Restricted permeability Depth to saturated zone	1.00 1.00
AddB2: Avonburg-----	75	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Restricted permeability Depth to saturated zone Slope	1.00 1.00 0.15
BbhA: Bartle-----	83	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Restricted permeability Depth to saturated zone	1.00 1.00
BcrAQ: Beanblossom-----	90	Very limited Flooding	1.00	Not limited		Not limited	
BcrAW: Beanblossom-----	89	Very limited Flooding	1.00	Not limited		Somewhat limited Flooding	0.60
BdoA: Bedford-----	90	Very limited Restricted permeability Depth to cemented pan Depth to saturated zone	1.00 0.46 0.39	Very limited Restricted permeability Depth to cemented pan Depth to saturated zone	1.00 0.46 0.19	Very limited Restricted permeability Depth to cemented pan Depth to saturated zone	1.00 0.46 0.39
BdoB: Bedford-----	90	Somewhat limited Depth to cemented pan Depth to saturated zone	0.90 0.39	Somewhat limited Depth to cemented pan Depth to saturated zone	0.90 0.19	Somewhat limited Depth to cemented pan Slope Depth to saturated zone	0.90 0.50 0.39
BfbC2: Blocher, Soft Bedrock Substratum-	46	Somewhat limited		Somewhat limited		Very limited	

Table REC-1.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Weddel-----	30	Restricted permeability	0.96	Restricted permeability	0.96	Slope	1.00
		Slope	0.04	Slope	0.04	Restricted permeability	0.96
		Somewhat limited Depth to saturated zone	0.98	Somewhat limited Restricted permeability	0.96	Very limited Slope	1.00
		Restricted permeability	0.96	Depth to saturated zone	0.75	Depth to saturated zone	0.98
		Slope	0.04	Slope	0.04	Restricted	0.96

						permeability	
BfcC3: Blocher, Soft Bedrock Substratum	49	Somewhat limited Restricted permeability Slope	0.96 0.04	Somewhat limited Restricted permeability Slope	0.96 0.04	Very limited Slope Restricted permeability	1.00 0.96
Weddel-----	32	Very limited Depth to saturated zone Restricted permeability Slope	1.00 0.96 0.04	Very limited Depth to saturated zone Restricted permeability Slope	1.00 0.96 0.04	Very limited Slope Depth to saturated zone Restricted permeability	1.00 1.00 0.96
BnyD3: Bonnell-----	74	Very limited Slope Restricted permeability	1.00 0.21	Very limited Slope Restricted permeability	1.00 0.21	Very limited Slope Restricted permeability	1.00 0.21
BobE5: Bonnell, gullied----	45	Very limited Slope Restricted permeability	1.00 0.43	Very limited Slope Restricted permeability	1.00 0.43	Very limited Slope Restricted permeability	1.00 0.43
Hickory, gullied----	30	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
BodAW: Bonnie-----	73	Very limited Depth to saturated zone Flooding Ponding Restricted permeability	1.00 1.00 1.00 0.21	Very limited Ponding Depth to saturated zone Restricted permeability	1.00 1.00 0.21	Very limited Depth to saturated zone Ponding Flooding Restricted permeability	1.00 1.00 0.60 0.21
BvoG: Brownstown-----	39	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Table REC-1.--Recreation--Continued							

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Depth to bedrock	0.06
Gilwood-----	38	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope Depth to bedrock Gravel content	1.00 0.29 0.22
CcaG: Caneyville-----	53	Very limited Slope Restricted permeability	1.00 0.21	Very limited Slope Restricted permeability	1.00 0.21	Very limited Slope Restricted permeability Depth to bedrock	1.00 0.21 0.20
Rock Outcrop-----	15	Not rated		Not rated		Not rated	
CkbB2: Cincinnati-----	80	Somewhat limited Depth to saturated zone Depth to cemented pan	0.39 0.35	Somewhat limited Depth to cemented pan Depth to saturated zone	0.35 0.19	Somewhat limited Slope Depth to saturated zone Depth to cemented pan	0.55 0.39 0.35
CldC2: Cincinnati-----	42	Somewhat limited Depth to cemented pan Depth to saturated zone Slope	0.90 0.39 0.04	Somewhat limited Depth to cemented pan Depth to saturated zone Slope	0.90 0.19 0.04	Very limited Slope Depth to cemented pan Depth to saturated zone	1.00 0.90 0.39

Blocher-----	34	Somewhat limited		Somewhat limited		Very limited	
		Restricted permeability	0.96	Restricted permeability	0.96	Slope	1.00
		Depth to saturated zone	0.39	Depth to saturated zone	0.19	Restricted permeability	0.96
		Slope	0.04	Slope	0.04	Depth to saturated zone	0.39
CldC3:							
Cincinnati-----	42	Very limited		Very limited		Very limited	
		Depth to cemented pan	1.00	Depth to cemented pan	1.00	Slope	1.00
		Depth to saturated zone	0.98	Depth to saturated zone	0.75	Depth to cemented pan	1.00
		Slope	0.04	Slope	0.04	Depth to saturated zone	0.98
Blocher-----	34	Somewhat limited		Somewhat limited		Very limited	
		Restricted permeability	0.96	Restricted permeability	0.96	Slope	1.00
		Slope	0.04	Slope	0.04	Restricted permeability	0.96

Table REC-1.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
ClfA: Cobbsfork-----	75	Very limited Depth to saturated zone Ponding Restricted permeability	1.00 1.00 0.96	Very limited Ponding Depth to saturated zone Restricted permeability	1.00 1.00 0.96	Very limited Depth to saturated zone Ponding Restricted permeability	1.00 1.00 0.96
ComC: Coolville-----	71	Very limited Depth to saturated zone Restricted permeability Slope	1.00 0.98 0.04	Very limited Depth to saturated zone Restricted permeability Slope	1.00 0.98 0.04	Very limited Slope Depth to saturated zone Restricted permeability	1.00 1.00 0.98
ConC3: Coolville-----	45	Very limited Depth to saturated zone Restricted permeability Slope	1.00 0.98 0.04	Very limited Depth to saturated zone Restricted permeability Slope	1.00 0.98 0.04	Very limited Slope Depth to saturated zone Restricted permeability	1.00 1.00 0.98
Rarden-----	45	Very limited Depth to saturated zone Restricted permeability Slope	1.00 0.98 0.04	Very limited Depth to saturated zone Restricted permeability Slope	1.00 0.98 0.04	Very limited Slope Depth to saturated zone Restricted permeability Depth to bedrock	1.00 1.00 0.98 0.03
ConD: Coolville-----	51	Very limited Slope Depth to saturated zone Restricted permeability	1.00 1.00 0.98	Very limited Slope Depth to saturated zone Restricted permeability	1.00 1.00 0.98	Very limited Slope Depth to saturated zone Restricted permeability	1.00 1.00 0.98
Rarden-----	30	Very limited Slope Depth to saturated zone Restricted permeability	1.00 1.00 0.98	Very limited Slope Depth to saturated zone Restricted permeability	1.00 1.00 0.98	Very limited Slope Depth to saturated zone Restricted permeability Depth to bedrock	1.00 1.00 0.98 0.06
CspA: Crider-----	85	Not limited		Not limited		Not limited	
CspB2: Crider, eroded-----	85	Not limited		Not limited		Somewhat limited Slope	0.50

Table REC-1.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CtrB2: Crider, karst-----	78	Not limited		Not limited		Somewhat limited Slope	0.12
CtwB: Crider-----	39	Not limited		Not limited		Somewhat limited Slope	0.55
Bedford-----	29	Somewhat limited Depth to saturated zone Depth to cemented pan	0.98 0.90	Somewhat limited Depth to cemented pan Depth to saturated zone	0.90 0.75	Somewhat limited Depth to saturated zone Depth to cemented pan Slope	0.98 0.90 0.55
Navilleton-----	28	Somewhat limited Restricted permeability	0.96	Somewhat limited Restricted permeability	0.96	Somewhat limited Restricted permeability Slope	0.96 0.55
CwaAQ: Cuba-----	92	Very limited Flooding	1.00	Not limited		Not limited	
CxgC3: Crider, severely eroded-----	46	Somewhat limited Slope	0.04	Somewhat limited Slope	0.04	Very limited Slope	1.00
Haggatt, severely eroded-----	46	Somewhat limited Slope	0.04	Somewhat limited Slope	0.04	Very limited Slope	1.00
CxhC2: Crider-----	56	Somewhat limited Slope	0.04	Somewhat limited Slope	0.04	Very limited Slope	1.00
Haggatt-----	37	Somewhat limited Slope	0.04	Somewhat limited Slope	0.04	Very limited Slope	1.00
CxmC2: Crider, karst-----	52	Somewhat limited Slope	0.04	Somewhat limited Slope	0.04	Very limited Slope	1.00
Haggatt, karst-----	35	Somewhat limited Slope	0.04	Somewhat limited Slope	0.04	Very limited Slope	1.00
CxnC3: Crider, karst, severely eroded----	44	Somewhat limited Slope	0.04	Somewhat limited Slope	0.04	Very limited Slope	1.00
Haggatt, severely eroded-----	44	Somewhat limited Slope	0.04	Somewhat limited Slope	0.04	Very limited Slope	1.00
DbrG: Deam-----	94	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00

Table REC-1.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Restricted permeability	0.98	Restricted permeability	0.98	Restricted permeability Depth to bedrock	0.06
DdsAW: Dearborn-----	80	Very limited Flooding	1.00	Not limited		Somewhat limited Flooding Content of large stones	0.60 0.08

DfnA: Dubois-----	85	Very limited Depth to saturated zone Depth to cemented pan	1.00 0.01	Very limited Depth to saturated zone Depth to cemented pan	1.00 0.01	Very limited Depth to saturated zone Depth to cemented pan	1.00 0.01
DtvC2: Deputy-----	50	Somewhat limited Depth to saturated zone Restricted permeability Slope	0.98 0.96 0.04	Somewhat limited Restricted permeability Depth to saturated zone Slope	0.96 0.75 0.04	Very limited Slope Depth to saturated zone Restricted permeability	1.00 0.98 0.96
Trappist-----	27	Somewhat limited Restricted permeability Slope	0.96 0.04	Somewhat limited Restricted permeability Slope	0.96 0.04	Very limited Slope Restricted permeability Depth to bedrock	1.00 0.96 0.35
EbpD2: Eden-----	82	Very limited Restricted permeability Slope	1.00 1.00	Very limited Restricted permeability Slope	1.00 1.00	Very limited Slope Restricted permeability Depth to bedrock Content of large stones	1.00 1.00 0.42 0.16
EesA: Elkinsville-----	52	Not limited		Not limited		Not limited	
Millstone-----	43	Not limited		Not limited		Not limited	
EesB: Elkinsville-----	52	Not limited		Not limited		Somewhat limited Slope	0.50
Millstone-----	43	Not limited		Not limited		Somewhat limited Slope	0.50
EesC2: Elkinsville-----	44	Somewhat limited Slope	0.04	Somewhat limited Slope	0.04	Very limited Slope	1.00

Table REC-1.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Millstone-----	43	Somewhat limited Slope	0.04	Somewhat limited Slope	0.04	Very limited Slope	1.00
EesD2: Elkinsville-----	44	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Millstone-----	44	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
EesFQ: Elkinsville-----	48	Very limited Slope Flooding	1.00 1.00	Very limited Slope	1.00	Very limited Slope	1.00
Millstone-----	47	Very limited Slope Flooding	1.00 1.00	Very limited Slope	1.00	Very limited Slope	1.00
EsaG: Eden-----	74	Very limited Slope Restricted permeability	1.00 0.96	Very limited Slope Restricted permeability	1.00 0.96	Very limited Slope Restricted permeability Depth to bedrock Content of large stones	1.00 0.96 0.42 0.16
GgbG: Gilwood-----	45	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope Depth to bedrock	1.00 0.29

						Gravel content	0.22
Brownstown-----	35	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope Depth to bedrock	1.00 0.06
Ggfd: Gilwood-----	39	Somewhat limited Slope	0.84	Somewhat limited Slope	0.84	Very limited Slope Depth to bedrock	1.00 0.29
Wrays-----	38	Somewhat limited Slope Restricted permeability	0.84 0.21	Somewhat limited Slope Restricted permeability	0.84 0.21	Very limited Slope Restricted permeability	1.00 0.21
GgfE2: Gilwood-----	42	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope Depth to bedrock	1.00 0.29
Wrays-----	36	Very limited Slope Restricted permeability	1.00 0.21	Very limited Slope Restricted permeability	1.00 0.21	Very limited Slope Restricted permeability	1.00 0.21

Table REC-1.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
GmaG: Gnawbone-----	48	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope Depth to bedrock	1.00 0.01
Kurtz-----	32	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
GyaD2: Grayford-----	73	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
GyaD3: Grayford-----	78	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
GyaD5: Grayford, gullied---	65	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Gykd2: Grayford, karst-----	74	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Gykd3: Grayford, karst-----	74	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
HcaA: Hatfield-----	85	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Restricted permeability Depth to saturated zone	1.00 0.94	Very limited Restricted permeability Depth to saturated zone	1.00 1.00
HccB2: Haubstadt-----	84	Somewhat limited Depth to saturated zone Depth to cemented pan	0.98 0.29	Somewhat limited Depth to saturated zone Depth to cemented pan	0.75 0.29	Somewhat limited Depth to saturated zone Slope Depth to cemented pan	0.98 0.55 0.29
HcdC2: Haubstadt-----	55	Somewhat limited Depth to saturated zone Depth to cemented pan Slope	0.98 0.54 0.04	Somewhat limited Depth to saturated zone Depth to cemented pan Slope	0.75 0.54 0.04	Very limited Slope Depth to saturated zone Depth to cemented pan	1.00 0.98 0.54
Shircliff-----	23	Somewhat limited Depth to saturated zone	0.98	Somewhat limited Restricted permeability	0.96	Very limited Slope	1.00

Table REC-1.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
HceC3: Haubstadt-----	55	Slope	0.37	Slope	0.37	Restricted permeability	0.96
		Very limited Depth to cemented pan	1.00	Very limited Depth to cemented pan	1.00	Very limited Slope	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to cemented pan	1.00
		Slope	0.04	Slope	0.04	Depth to saturated zone	1.00
Shircliff-----	23	Somewhat limited Depth to saturated zone	0.98	Somewhat limited Restricted permeability	0.96	Very limited Slope	1.00
		Restricted permeability	0.96	Depth to saturated zone	0.75	Depth to saturated zone	0.98
		Slope	0.37	Slope	0.37	Restricted permeability	0.96
HcgAH: Haymond-----	85	Very limited Flooding	1.00	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
HcgAV: Haymond-----	85	Very limited Flooding	1.00	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
HcgAW: Haymond-----	82	Very limited Flooding	1.00	Not limited		Somewhat limited Flooding	0.60
HerE: Hickory-----	45	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Bonnell-----	38	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
HtwD2: Haggatt-----	51	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Caneyville-----	31	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Restricted permeability	0.21	Restricted permeability	0.21	Depth to bedrock	0.46
						Restricted permeability	0.21
HtzD3: Haggatt, severely eroded-----	51	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Caneyville, severely eroded-----	41	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00

Table REC-1.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
HufAK: Huntington-----	85	Restricted permeability	0.21	Restricted permeability	0.21	Depth to bedrock	0.90
						Restricted permeability	0.21
		Very limited Flooding	1.00	Not limited		Somewhat limited Flooding	0.60

HuhD2: Haggatt, karst-----	46	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Caneyville, karst---	31	Very limited Slope Restricted permeability	1.00 0.21	Very limited Slope Restricted permeability	1.00 0.21	Very limited Slope Depth to bedrock Restricted permeability	1.00 0.46 0.21
HujD3: Haggatt, karst-----	46	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Caneyville, karst---	39	Very limited Slope Restricted permeability	1.00 0.21	Very limited Slope Restricted permeability	1.00 0.21	Very limited Slope Depth to bedrock Restricted permeability	1.00 0.46 0.21
JaeB2: Jennings-----	80	Somewhat limited Depth to cemented pan	0.71	Somewhat limited Depth to cemented pan	0.71	Somewhat limited Depth to cemented pan Slope	0.71 0.55
JafC2: Jennings-----	45	Somewhat limited Depth to cemented pan Slope	0.71 0.04	Somewhat limited Depth to cemented pan Slope	0.71 0.04	Very limited Slope Depth to cemented pan	1.00 0.71
Blocher, Hard Bedrock Substratum-	30	Somewhat limited Restricted permeability Slope	0.96 0.04	Somewhat limited Restricted permeability Slope	0.96 0.04	Very limited Slope Restricted permeability	1.00 0.96
JafC3: Jennings-----	45	Very limited Depth to cemented pan Depth to saturated zone	1.00 0.98	Very limited Depth to cemented pan Depth to saturated zone	1.00 0.75	Very limited Slope Depth to cemented pan	1.00 1.00

Table REC-1.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Slope	0.04	Slope	0.04	Depth to saturated zone	0.98
Blocher, Hard Bedrock Substratum-	30	Somewhat limited Restricted permeability Slope	0.96 0.04	Somewhat limited Restricted permeability Slope	0.96 0.04	Very limited Slope Restricted permeability	1.00 0.96
KxkC2: Knobcreek-----	37	Somewhat limited Restricted permeability Slope	0.84 0.04	Somewhat limited Restricted permeability Slope	0.84 0.04	Very limited Slope Restricted permeability	1.00 0.84
Navilleton-----	35	Somewhat limited Restricted permeability Slope	0.96 0.04	Somewhat limited Restricted permeability Slope	0.96 0.04	Very limited Slope Restricted permeability	1.00 0.96
KxlC3: Knobcreek-----	33	Somewhat limited Restricted permeability Slope	0.84 0.04	Somewhat limited Restricted permeability Slope	0.84 0.04	Very limited Slope Restricted permeability	1.00 0.84
Haggatt-----	26	Somewhat limited Slope	0.04	Somewhat limited Slope	0.04	Very limited Slope	1.00
Caneyville-----	24	Somewhat limited		Somewhat limited		Very limited	

KxlE3: Knobcreek-----	35	Restricted permeability	0.21	Restricted permeability	0.21	Slope	1.00
		Slope	0.04	Slope	0.04	Depth to bedrock	0.90
						Restricted permeability	0.21
						Content of large stones	0.01
		Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Restricted permeability	0.84	Restricted permeability	0.84	Restricted permeability	0.84
		Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Haggatt-----	22	Restricted permeability	0.21	Restricted permeability	0.21	Depth to bedrock	0.90
						Restricted permeability	0.21
Caneyville-----	21						

Table REC-1.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
KxmE2: Knobcreek-----	33					Content of large stones	0.01
		Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Restricted permeability	0.84	Restricted permeability	0.84	Restricted permeability	0.84
		Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Restricted permeability	0.21	Restricted permeability	0.21	Restricted permeability	0.21
						Depth to bedrock	0.06
KxoC2: Knobcreek, karst----	29	Somewhat limited Restricted permeability	0.84	Somewhat limited Restricted permeability	0.84	Very limited Slope	1.00
		Slope	0.04	Slope	0.04	Restricted permeability	0.84
		Somewhat limited Restricted permeability	0.96	Somewhat limited Restricted permeability	0.96	Very limited Slope	1.00
						Restricted permeability	0.96
		Somewhat limited Slope	0.04	Somewhat limited Slope	0.04	Very limited Slope	1.00
		Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Restricted permeability	0.84	Restricted permeability	0.84	Restricted permeability	0.84
KxpD2: Knobcreek, karst----	35	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Restricted permeability	0.84	Restricted permeability	0.84	Restricted permeability	0.84
		Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Restricted permeability	0.21	Restricted permeability	0.21	Restricted permeability	0.21
						Depth to bedrock	0.06
LpoAK: Lindside-----	82	Very limited Flooding	1.00	Somewhat limited Depth to saturated zone	0.75	Somewhat limited Depth to saturated zone	0.98
		Depth to saturated zone	0.98			Flooding	0.60
McgC2: Markland-----	74	Somewhat limited		Somewhat limited		Very limited	

Table REC-1.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
McqGQ: Markland-----	90	Restricted permeability	0.43	Restricted permeability	0.43	Slope	1.00
		Slope	0.04	Slope	0.04	Restricted permeability	0.43
		Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Flooding	1.00	Restricted permeability	0.43	Restricted permeability	0.43
		Restricted permeability	0.43				
McpC3: Markland-----	61	Somewhat limited Restricted permeability	0.43	Somewhat limited Restricted permeability	0.43	Very limited Slope	1.00
		Slope	0.04	Slope	0.04	Restricted permeability	0.43
McuDQ: Markland-----	70	Very limited Flooding	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Slope	1.00	Restricted permeability	0.43	Restricted	0.43
		Restricted permeability	0.43			permeability	
MdqDQ: Markland-----	85	Very limited Flooding	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Slope	1.00	Restricted permeability	0.43	Restricted	0.43
		Restricted permeability	0.43			permeability	
MhuA: Mcgary-----	93	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Restricted permeability	0.43	Restricted permeability	0.43	Restricted permeability	0.43
MhyA: Medora-----	85	Somewhat limited Depth to cemented pan	0.65	Somewhat limited Depth to cemented pan	0.65	Somewhat limited Depth to cemented pan	0.65
MhyB2: Medora-----	88	Very limited Depth to cemented pan	0.99	Very limited Depth to cemented pan	0.99	Somewhat limited Depth to cemented pan	0.99
						Slope	0.55
MhyC2: Medora-----	73	Very limited Depth to cemented pan	0.99	Very limited Depth to cemented pan	0.99	Very limited Slope	1.00

Table REC-1.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MhyC3: Medora-----	75	Slope	0.04	Slope	0.04	Depth to cemented pan	0.99
		Very limited Depth to cemented pan	1.00	Very limited Depth to cemented pan	1.00	Very limited Slope	1.00
		Depth to saturated zone	0.98	Depth to saturated zone	0.75	Depth to cemented pan	1.00
		Slope	0.04	Slope	0.04	Depth to saturated zone	0.98

MsvA: Montgomery, drained-	82	Very limited Depth to saturated zone Ponding Restricted permeability	1.00 1.00 0.96	Very limited Ponding Depth to saturated zone Restricted permeability	1.00 1.00 0.96	Very limited Depth to saturated zone Ponding Restricted permeability	1.00 1.00 0.96
NaaA: Nabb-----	85	Somewhat limited Depth to saturated zone Depth to cemented pan	0.98 0.10	Somewhat limited Depth to saturated zone Depth to cemented pan	0.75 0.10	Somewhat limited Depth to saturated zone Depth to cemented pan	0.98 0.10
NaaB2: Nabb-----	78	Somewhat limited Depth to saturated zone Depth to cemented pan	0.98 0.20	Somewhat limited Depth to saturated zone Depth to cemented pan	0.75 0.20	Somewhat limited Depth to saturated zone Slope Depth to cemented pan	0.98 0.55 0.20
NbhAK: Newark-----	80	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
OfbAW: Oldenburg-----	85	Very limited Flooding Depth to saturated zone	1.00 0.98	Somewhat limited Depth to saturated zone	0.75	Somewhat limited Depth to saturated zone Flooding	0.98 0.60
PcrB2: Pekin-----	85	Very limited Restricted permeability Depth to saturated zone	1.00 0.98	Very limited Restricted permeability Depth to saturated zone	1.00 0.75	Very limited Restricted permeability Depth to saturated zone Slope	1.00 0.98 0.55

Table REC-1.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
PcrC2: Pekin-----	72	Very limited Restricted permeability Depth to saturated zone Slope	1.00 0.98 0.04	Very limited Restricted permeability Depth to saturated zone Slope	1.00 0.75 0.04	Very limited Slope Restricted permeability Depth to saturated zone	1.00 1.00 0.98
PcrC3: Pekin-----	71	Very limited Restricted permeability Depth to saturated zone Slope	1.00 1.00 0.04	Very limited Restricted permeability Depth to saturated zone Slope	1.00 1.00 0.04	Very limited Slope Restricted permeability Depth to saturated zone	1.00 1.00 1.00
PhaA: Peoga-----	83	Very limited Depth to saturated zone Ponding Restricted permeability	1.00 1.00 0.96	Very limited Ponding Depth to saturated zone Restricted permeability	1.00 1.00 0.96	Very limited Depth to saturated zone Ponding Restricted permeability	1.00 1.00 0.96
Pml: Pits, Quarry-----	85	Not rated		Not rated		Not rated	
Ppu: Pits, Sand And Gravel-----	80	Not rated		Not rated		Not rated	

Rbld3: Rarden-----	78	Very limited Slope Depth to saturated zone Restricted permeability	1.00 1.00 0.98	Very limited Slope Depth to saturated zone Restricted permeability	1.00 1.00 0.98	Very limited Slope Depth to saturated zone Restricted permeability Depth to bedrock	1.00 1.00 0.98 0.29
Rbmd5: Rarden, gullied-----	74	Very limited Depth to saturated zone Too clayey Restricted permeability Slope	1.00 1.00 1.00 0.98 0.84	Very limited Depth to saturated zone Too clayey Restricted permeability Slope	1.00 1.00 1.00 0.98 0.84	Very limited Slope Depth to saturated zone Too clayey Restricted permeability Depth to bedrock	1.00 1.00 1.00 1.00 0.98 0.80

Table REC-1.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
RptG: Rohan-----	45	Very limited Slope Depth to bedrock Gravel content	1.00 1.00 0.27	Very limited Slope Depth to bedrock Gravel content	1.00 1.00 0.27	Very limited Slope Depth to bedrock Gravel content Content of large stones	1.00 1.00 1.00 0.01
Jessietown-----	36	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope Depth to bedrock	1.00 0.46
RtcA: Ryker-----	95	Not limited		Not limited		Not limited	
RtcB2: Ryker-----	92	Not limited		Not limited		Somewhat limited Slope	0.55
RzrB2: Ryker-----	80	Not limited		Not limited		Somewhat limited Slope	0.12
RztC2: Ryker-----	43	Somewhat limited Slope	0.04	Somewhat limited Slope	0.04	Very limited Slope	1.00
Grayford-----	25	Somewhat limited Slope	0.04	Somewhat limited Slope	0.04	Very limited Slope	1.00
RztC3: Ryker-----	44	Somewhat limited Slope	0.04	Somewhat limited Slope	0.04	Very limited Slope	1.00
Grayford-----	28	Somewhat limited Slope	0.04	Somewhat limited Slope	0.04	Very limited Slope	1.00
RzvC2: Ryker, karst-----	41	Not limited		Not limited		Very limited Slope	1.00
Grayford, karst-----	26	Somewhat limited Slope	0.04	Somewhat limited Slope	0.04	Very limited Slope	1.00
RzvC3: Ryker, karst-----	41	Not limited		Not limited		Very limited Slope	1.00
Grayford, karst-----	26	Not limited		Not limited		Very limited Slope	1.00
SceB2: Scottsburg-----	96	Somewhat limited Depth to saturated zone Restricted permeability	0.98 0.96	Somewhat limited Restricted permeability Depth to saturated zone	0.96 0.75	Somewhat limited Depth to saturated zone Restricted permeability Slope	0.98 0.96 0.15

Table REC-1.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SfyB: Shircliff-----	75	Somewhat limited Depth to saturated zone Restricted permeability	0.98 0.43	Somewhat limited Depth to saturated zone Restricted permeability	0.75 0.43	Somewhat limited Depth to saturated zone Slope Restricted permeability	0.98 0.55 0.43
SoaB: Spickert-----	95	Somewhat limited Depth to saturated zone Depth to cemented pan	0.98 0.35	Somewhat limited Depth to saturated zone Depth to cemented pan	0.75 0.35	Somewhat limited Depth to saturated zone Slope Depth to cemented pan	0.98 0.55 0.35
SodB: Spickert, terrace---	90	Somewhat limited Depth to saturated zone Depth to cemented pan	0.98 0.16	Somewhat limited Depth to saturated zone Depth to cemented pan	0.75 0.16	Somewhat limited Depth to saturated zone Depth to cemented pan Slope	0.98 0.16 0.03
SolC2: Spickert-----	44	Somewhat limited Depth to saturated zone Depth to cemented pan Slope	0.98 0.35 0.04	Somewhat limited Depth to saturated zone Depth to cemented pan Slope	0.75 0.35 0.04	Very limited Slope Depth to saturated zone Depth to cemented pan	1.00 0.98 0.35
Wrays-----	32	Somewhat limited Restricted permeability Slope	0.21 0.04	Somewhat limited Restricted permeability Slope	0.21 0.04	Very limited Slope Restricted permeability	1.00 0.21
StaAQ: Steff-----	86	Very limited Flooding Depth to saturated zone	1.00 0.98	Somewhat limited Depth to saturated zone	0.75	Somewhat limited Depth to saturated zone	0.98
StdAQ: Stendal-----	88	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
StdAW: Stendal-----	87	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00

Table REC-1.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
ThaC2: Trappist-----	84	Depth to saturated zone Somewhat limited Restricted permeability Slope	1.00 0.96 0.04	 Somewhat limited Restricted permeability Slope	 0.96 0.04	Flooding Very limited Slope Restricted permeability	0.60 1.00 0.96

						Depth to bedrock	0.35
ThbC3: Trappist-----	75	Somewhat limited Restricted permeability Slope	0.96 0.04	Somewhat limited Restricted permeability Slope	0.96 0.04	Very limited Slope Restricted permeability Depth to bedrock	1.00 0.96 0.90
ThbD5: Trappist, gullied---	73	Somewhat limited Restricted permeability Slope	0.99 0.84	Somewhat limited Restricted permeability Slope	0.99 0.84	Very limited Slope Restricted permeability Depth to bedrock	1.00 0.99 0.46
ThcD3: Trappist-----	44	Very limited Slope Restricted permeability	1.00 0.96	Very limited Slope Restricted permeability	1.00 0.96	Very limited Slope Restricted permeability Depth to bedrock	1.00 0.96 0.71
Rohan-----	29	Very limited Depth to bedrock Slope Gravel content	1.00 1.00 0.39	Very limited Depth to bedrock Slope Gravel content	1.00 1.00 0.39	Very limited Slope Depth to bedrock Gravel content Content of large stones	1.00 1.00 1.00 0.01
ThdD: Trappist-----	49	Very limited Slope Restricted permeability	1.00 0.96	Very limited Slope Restricted permeability	1.00 0.96	Very limited Slope Restricted permeability Depth to bedrock	1.00 0.96 0.10
Rohan-----	33	Very limited Depth to bedrock Slope Restricted permeability	1.00 1.00 0.99	Very limited Depth to bedrock Slope Restricted permeability	1.00 1.00 0.99	Very limited Slope Depth to bedrock Restricted permeability	1.00 1.00 0.99
TsaC3: Trappist-----	46	Somewhat limited Restricted permeability	0.96	Somewhat limited Restricted permeability	0.96	Very limited Slope	1.00

Table REC-1.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Slope	0.04	Slope	0.04	Restricted permeability Depth to bedrock	0.96 0.90
Deputy-----	23	Somewhat limited Depth to saturated zone Restricted permeability Slope	0.98 0.96 0.04	Somewhat limited Restricted permeability Depth to saturated zone Slope	0.96 0.75 0.04	Very limited Slope Depth to saturated zone Restricted permeability	1.00 0.98 0.96
Uaa: Udorthents, Cut And Filled-----	83	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability Slope	1.00 1.00
UaoAK: Udifluvents, Cut And Filled-----	65	Very limited Flooding Restricted permeability	1.00 1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability Flooding	1.00 0.60
Urban Land-----	25	Not rated		Not rated		Not rated	
UedA: Urban Land-----	60	Not rated		Not rated		Not rated	

Aquents, Clayey Substratum-----	25	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00
UndAY: Urban Land-----	65	Not rated		Not rated		Not rated	
Udifluents-----	25	Very limited Flooding	1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00
		Restricted permeability	1.00				
UngB: Urban Land-----	45	Not rated		Not rated		Not rated	
Udarents, Fragipan Substratum-----	30	Very limited		Very limited		Very limited	

Table REC-1.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Restricted permeability	1.00	Restricted permeability	1.00	Restricted permeability	1.00
		Depth to cemented pan	0.90	Depth to cemented pan	0.90	Depth to cemented pan	0.90
						Slope	0.88
UnkB: Urban Land-----	45	Not rated		Not rated		Not rated	
Udarents, Silty Substratum-----	30	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability Slope	1.00 0.15
UnpA: Urban Land-----	45	Not rated		Not rated		Not rated	
Udarents, Loamy Substratum-----	30	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability Slope	1.00 0.01
UnsB: Urban Land, hills underlain with limestone-----	40	Not rated		Not rated		Not rated	
Udarents, Clayey Substratum, hills underlain with limestone-----	30	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability Slope	1.00 0.88
W: Water-----	100	Not rated		Not rated		Not rated	
WaaAV: Wakeland-----	83	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00	Very limited Flooding	1.00
		Depth to saturated zone	1.00	Flooding	0.40	Depth to saturated zone	1.00
WaaAW: Wakeland-----	82	Very limited Flooding	1.00	Very limited Depth to	1.00	Very limited Depth to	1.00

Table REC-1.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Depth to saturated zone	1.00			Flooding	0.60
WedB2: Weddel-----	95	Somewhat limited Depth to saturated zone	0.98	Somewhat limited Restricted permeability	0.96	Somewhat limited Depth to saturated zone	0.98
		Restricted permeability	0.96	Depth to saturated zone	0.75	Restricted permeability Slope	0.96 0.55
WhcD: Wellrock-----	50	Somewhat limited Slope	0.84	Somewhat limited Slope	0.84	Very limited Slope	1.00
		Restricted permeability	0.21	Restricted permeability	0.21	Restricted permeability	0.21
Gnawbone-----	41	Somewhat limited Slope	0.84	Somewhat limited Slope	0.84	Very limited Slope	1.00
						Depth to bedrock	0.01
WnmA: Whitcomb-----	87	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Restricted permeability	0.96	Restricted permeability	0.96	Restricted permeability	0.96
WokAV: Wilbur-----	78	Very limited Flooding	1.00	Somewhat limited Depth to saturated zone	0.75	Very limited Flooding	1.00
		Depth to saturated zone	0.98	Flooding	0.40	Depth to saturated zone	0.98
WokAW: Wilbur-----	83	Very limited Flooding	1.00	Somewhat limited Depth to saturated zone	0.75	Somewhat limited Depth to saturated zone	0.98
		Depth to saturated zone	0.98			Flooding	0.60
WprAW: Wirt-----	83	Very limited Flooding	1.00	Not limited		Somewhat limited Flooding	0.60